i	155262	7		41.573	1000	
	0	3 -10.5	3	8	4)
•	PHILIPPINE T	THE PERSON NAMED IN	 	****	-	·

	1.1 MAY 1983	
MEMORANDUM FOR:	Support, DDI	
THROUGH:	Director of Data Processing /5/8 13 MAY 1863	
FROM:	William F. Donnelly Director of Communications	25X
SUBJECT:	Computer Terminal Costs	25X
REFERENCE:	Your Memo to D/ODP dated 15 Feb 1983	
regarding eliminaterminals in the Committee on Countrate on Countrate the United States. "TEMPEST COUNTER has been drafted requirements paralocated inside language of the Subcommittee (NCSC) mid-CY 1983. This immediately upon 3. If the remarks of differ for other Agency non-TEMPEST equipment because of differ for other Agency non-TEMPEST terminately be coordinately upon 4. It is sureference be dela approved. This Countral this Country this Coun	the delay in responding to the reference questions ation of the requirement for TEMPEST computer Headquarters Building. The Intergovernment intermeasures has requested that the TEMPEST ations concerning TEMPEST countermeasures within is be readdressed. As a result a new document, MEASURES FOR FACILITIES WITHIN THE UNITED STATES, This proposed standard relaxes the TEMPEST ticularly for Government controlled buildings arge controlled compounds. andard, referred to as NACSI 5004, was approved by for Compromising Emanations (SCOCE) on 28 April ing forwarded to the National Communications Security for their approval. This approval is expected by its Office will start using the new standard NCSC approval. The same cannot be said buildings in the Washington area. Purchase of inals for classified information processing must ated with the Communications Security Division of insure minimum radiation/inference standards are aggested that purchases of terminals per the suffice will keep your staff advised of this pro- tions on this may be referred to	25x 25x 25x 25x 25x 25x
	William F. Donnelly	25X

Sanitized Copy Approved for Release 2010/05/21 : CIA-RDP85-00142R000100020015-5